


Features

- Non-flame coating, raw materials used for fusible resistors are that of metal film resistors
- Ideal circuit opening controller, disconnecting units from overload rating specified
- Too low or too high ohmic value can be supplied on a case-to-case basis



Explanation of Part Number & Ordering Procedure:



^{*} Color code is the same as 1%




Part No.	Style	Power Rating at 70°C	D Max.	L Max.	H±3	+0.02 d -0.05	Resistance Range	Dielectric Withstanding Voltage
BFW4	FRN-25	1/4W (0.25W)	2.5	6.8	28	0.6	0.22Ω ~ 10ΚΩ	300V
BFW2	FRN-50	1/2W (0.5W)	3.0	9.0	28	0.6	0.22Ω ~ 10ΚΩ	350V
BF1W	FRN-100	1W	4.0	10.0	28	0.8	0.3Ω ~ 10ΚΩ	350V
BF2W	FRN-200	2W	5.0	12.0	28	0.8	0.3Ω ~ 10ΚΩ	600V
BF3W	FRN-300	3W	5.5	16.0	28	0.8	0.3Ω ~ 10ΚΩ	600V


Fusing Characteristics

Resistance Range	Magnification of Power Rating	Fusing Time (Maximum time)
0.22Ω ~ 0.99Ω	32	60 Sec.
	16	60 Sec.
	20	40 Sec.
1Ω ~ 10ΚΩ	24	30 Sec.
	28	20 Sec.
	32	15 Sec.


Derating Curve





Overload Curve



Fusing Characteristics Chart









Performance Specifications:

Characteristics	Test Methods			Limits	
Temperature coefficient JIS – C – 5202 5.2	Natural resistance chat $\frac{R_2-R_1}{$	1)	± 350PPM / °C		
Short – time overload JIS – C – 5202 5.5	Permanent resistance of times RCWV or the mal above list, whichever les	x. overload voltage resp	Resistance change rate is $\pm (2\% + 0.05\Omega)$ No evidence of mechanical damage		
Dielectric withstanding voltage JIS – C – 5202 5.7	Resistors shall be clamp V-block and shall be tes above list for 60 + 10 / -0	sted at AC potential resp	No evidence of flashover mechanical damage, arcing or insulation break down.		
Terminal strength JIS – C – 5202 6.1	Direct load: Resistance direction of the longitudin Twist test: Terminal lea 6mm from the body of the about the original axis of total of 3 rotations.	nal axis of the terminal le ids shall be bent through ne resistor and shall be r	No evidence of mechanical damage.		
Resistance to Soldering Heat JIS – C – 5202 6.4	Permanent resistance of mm from the body in 35	•	Resistance change rate is \pm (1.0%+0.05 Ω) No evidence of mechanical damage.		
Solderability JIS-C-5202 6.5	The area covered with a surface free from conce Test temp. of solder: 23: Dwell time in solder: 3 +	ntrated pinholes. 5°C±5°C	95% coverage Min.		
	Resistance change a specified below:	after continuous five o			
	Step	Temperature	Time		
Temperature cycling	1	-55℃±3℃	30 mins.	Resistance change rate is $\pm (2.0\% + 0.05 \Omega)$	
JIS-C-5202 7.4	2	Room temp.	10 – 15 mins.	No evidence of mechanical damage.	
	3	+155 ℃±2 ℃	30 mins.		
	4 Room temp. 10 – 15 mins.				

^{*} RCWV = Rated Continuous Working Voltage = $\sqrt{\text{Rated Power x Resistance Value}}$

Page 32 2004 - 2005



Performance Specifications:

Characteristics	Test Methods	Limits	
Load life in humidity JIS - C - 5202 7.9	Resistance change after 1,000 hours (1.5 hours "on", 0.5 hour "off") at RCWV in a humidity test chamber controlled at 40° C ± 2° C and 90 to 95% relative humidity.	Resistance change rate is $\pm (5\% + 0.05\Omega)$ No evidence of mechanical damage	
Load life JIS - C - 5202 7.10	Permanent resistance change after 1,000 hours operating at RCWV with duty cycle of (1.5 hours "on", 0.5 hour "off") at 70° C ± 2°C ambient.	Resistance change rate is ± (5% + 0.05Ω) No evidence of mechanical damage	
Non-Flame JIS - C - 5202 7.12	The burner is placed remote from resistor ignited and adjusted to produce a blue flame 38mm in height and a top of flame 127mm above the top of burner tube. Resistor is supported from its lead at 45 degree from the horizontal so that the lower end of resistor is the top of blue flame. The test flame is placed to remain for 15 seconds and removed for 15 seconds. The operation is to be repeated until resistor has been subjected to 5 application of test flame.	Do not have any specimen, which burn with flaming combustion after each application of the test flame.	

^{*} RCWV = Rated Continuous Working Voltage = $\sqrt{\text{Rated Power x Resistance Value}}$

2004 - 2005 Page 33