

Technical Data

Dimensions + Weight

Product dimensions	
Height	84,5 cm
Width	59.5 cm
Depth	57,5 cm
Weight	
net	67 kg

Electrical base data

Voltage	220 240 V \pm 10%
Frequency	50 Hz
Fuse	10 A
Power Consumption	~2.3 kW

Drum data

Volume	62 l
Wash speed	50 rpm
Spinning	
max.	1400 rpm

Pressostat

Pressure range	0/300mm H2O
Input power	0 - 500 mm H2O

Door lock

Kind of switch	Electromagnetic doorlock
Nominal voltage	180 - 265) V
Locking time	\leq 0,1 s
Unlock time	< 0,5 s

Inlet valve

Nominal voltage	220 - 240 V / 50 Hz
Rated flow	(1.5 - 5 bar) 7 l/min
Pressure range	0.5 bar - 10 bar
Nominal resistance	(20 °C) 3750 \pm 10% Ω

Drain pump

Nominal voltage	220 - 240 V / 50 Hz
Total power	25 W
Resistor (coil)	290 \pm 8% Ω
Capacity	(0.55 - 1 m) 15 l/min

Heating element

Nominal voltage	230 V +10 %, -15 %
Total power	1700 W
Resistance (20 °C)	29,6 - 32,7 Ω
Leakage current	< 0.8 mA
NTC sensor	
Resistance NTC	

15 °C	31.1	kΩ
30 °C	16.6	kΩ
40 °C	10.7	kΩ
50 °C	7.2	kΩ
60 °C	5.0	kΩ
70 °C	3.5	kΩ
100 °C	1.3	kΩ

Motor

Resistance contacts (20 °C)
 Stator 3.17±7% Ω
 Tacho generator 115.4±7% Ω

Control unit

Type Windy/Arcadia
 Nominal voltage 220-240 V / 50 Hz