


# ELFA




Alt mellan antenn och jord

171 17 SOLNA ■ TEL 08-735 35 00 ■ FAX 08-730 10 40


III ✱




HEC3110



HOLE LAYOUT  
(BOTTOM VIEW)



Schematic







Mate Plug


IV ✱



HEC3800



Schematic








2(2)

HOLE LAYOUT  
(BOTTOM VIEW)

II \*





HEC3600



HOLE LAYOUT  
(BOTTOM VIEW)

740109/SCP

HOLE LAYOUT  
(BOTTOM VIEW)



Klass	Typ	ØB	ØJ	DJ
I	A	$\phi 2.75^{+0.15}_0$	$\phi 0.65^{+0.15}_0$	—
II	A	$\phi 4.4^{+0.15}_0$	$\phi 1.65^{+0.15}_0$	—
III	A	$\phi 5.15^{+0.15}_0$	$\phi 1.65^{+0.15}_0$	—
IV	B	$\phi 5.9^{+0.15}_0$	$\phi 1.05^{+0.15}_0$	$\phi 3.0\text{MAX.}$




# ELFA

Allt mellan antenn och jord


171 17 SOLNA ■ TEL 08-735 35 00 ■ FAX 08-730 10 40




HEC3110




HOLE LAYOUT  
(BOTTOM VIEW)






Schematic




Mate Plug




HEC3800





HOLE LAYOUT  
(BOTTOM VIEW)



Schematic



Mate Plug



Klass	Typ	CJ	AJ	DJ
I	A	$\phi 2.75^{+0.15}_0$	$\phi 0.65^{+0.0}_{-0.1}$	—
II	A	$\phi 4.4^{+0.15}_0$	$\phi 1.65^{+0.0}_{-0.1}$	—
III	A	$\phi 5.15^{+0.15}_0$	$\phi 1.65^{+0.0}_{-0.1}$	—
IV	B	$\phi 5.9^{+0.15}_0$	$\phi 1.05^{+0.1}_0$	$\phi 3.0\text{MAX.}$

42-053-40  
-053-73


*Chassidon*

Spänningsomr.




\* Klasse I: 0 - 3.15 V  
II: 3.15 - 6.3 V  
III: 6.3 - 10.4 V  
IV: 10.4 - 13.5 V

Contact resistance: 30 mΩ or less  
Insulation resistance: 100 MΩ or more at 500V DC  
Dielectric strength: 500 V AC for 1 minute



\* I



HEC3300



HOLE LAYOUT  
(BOTTOM VIEW)






Mate Plug



II \*



HEC3600



HOLE LAYOUT  
(BOTTOM VIEW)



Mate Plug

# ETEA

Alt mellan antenn och jord  
171 17 SOLVA ■ TEL 08-735 35 00 ■ FAX 08-730 10 40

42-053-40  
-053-73


Chassiden

Spänningssomr.





\* Klasse I : 0 - 3,15 V  
II : 3,15 - 6,3 V  
III : 6,3 - 10,4 V  
IV : 10,4 - 13,5 V

Contact resistance : 30 mΩ or less  
Insulation resistance : 100 MΩ or more at 500V DC  
Dielectric strength : 500 V AC for 1 minute

\* I




HEC3300






# ELFA

Allt mellan antenn och jord


171 17 SOLNA • TEL 08-735 35 00 • FAX 08-730 10 40




HEC3110




HOLE LAYOUT  
(BOTTOM VIEW)






Schematic




Mate Plug




HEC3800



HOLE LAYOUT  
(BOTTOM VIEW)




Schematic




Mate Plug

Typ A



Typ B



Klass	Typ	CJ	AJ	DJ
I	A	$\phi 2.75^{+0.15}_0$	$\phi 0.65^{0}_{-0.1}$	—
II	A	$\phi 4.4^{+0.15}_0$	$\phi 1.65^{0}_{-0.1}$	—
III	A	$\phi 5.15^{+0.15}_0$	$\phi 1.65^{0}_{-0.1}$	—
IV	B	$\phi 5.9^{+0.15}_0$	$\phi 1.05^{+0.1}_0$	$\phi 3.0\text{MAX.}$