

- 1.JT200-7 ATV Digital meter of motorcycle parts
- 2.Working stability,indicating accurate
- 3.High quantity
- 4.Competitive price

Product name JT200-7 ATV Digital meter of motorcycle parts

Applicable models Applicable to motor vehicles under a variety of displacement 200cc

Features

- 1.Working stability,LCD indicating accurate
2. Indicator lights laser engraving technology meet, show a clear three-dimensional
3. Engine speed simulation shows that dynamic visual

Key Features

1. Operating Temperature-20degree celsius--70degree celsius

Relative humidity 45--75

2. Normal operating voltage range DC10—18V

Rated Current less than 80 mA


3. Maximum speed display 199Km / h, Engine speed display each cell 500r/min, the largest 12000r/min (LCD)

4. The largest single cumulative mileage 999.9KM and clear power, the maximum cumulative mileage 99999KM


5. Left turn lights, position lights, neutral gear indicator (N) instructions for the green, blue beam direction, P instructions for the red, R instructions for the orange

6. Claims details instructionsWhen the instrument appears lacking fuel, the LCD screen shows the orange oil-bit symbols


Product installation plans




Application wiring diagram




Product outlet map




sheat:DI7091A-2.8-21
terminal:DJ621-2.8




sheat:DI7061A-2.8-21
terminal:DJ621-2.8



sheat:DI7031A-2.8-21
terminal:DJ621-2.8



sheat:DI7031A-2.8-21
terminal:DJ621-2.8



sheat:DI7021A-2.8-21
terminal:DJ621-2.8

Color line features

1. **black:** power +12V
2. **light purple:** emergency +
3. **green/blue:** reverse -
4. **brown/white:** position lamp
5. **brown:** back light
6. **orange:** turn left +
7. **green 1:** earth
8. **green/red:** gap -
9. **light blue:** turn right +
10. **pink:** 1 file -
11. **blue/red:** 2 file-
12. **green/black:** 3 file -
13. **yellow/red:** 4 file -
14. **red:** hall signal
15. **black/white:** hall power +5V
16. **green:** earth -
17. **blue:** light (beam)
18. **yellow/white:** oil level -
19. **black/yellow:** speed signal

20. white 1:emergency light

21. white:emergency light

