

B-PS+1-AMP202		B-PS+1-AMP203	
Model	C1 & C2p	Model	C1 & C2p
1.1	500pF	1	500pF
2.1	200pF	2.1	200pF
3.1	100pF	3.1	100pF
4.1	50pF	4.1	50pF
5.1	20pF	5.1	20pF
6.1	10pF	6.1	10pF
7.1	5pF	7.1	5pF
8.1	2pF	8.1	2pF
9.1	1pF	9.1	1pF
10.1	500pF	10.1	500pF
11.1	200pF	11.1	200pF
12.1	100pF	12.1	100pF
13.1	50pF	13.1	50pF
14.1	20pF	14.1	20pF
15.1	10pF	15.1	10pF
16.1	5pF	16.1	5pF
17.1	2pF	17.1	2pF
18.1	1pF	18.1	1pF
19.1	500pF	19.1	500pF
20.1	200pF	20.1	200pF
21.1	100pF	21.1	100pF
22.1	50pF	22.1	50pF
23.1	20pF	23.1	20pF
24.1	10pF	24.1	10pF
25.1	5pF	25.1	5pF
26.1	2pF	26.1	2pF
27.1	1pF	27.1	1pF
28.1	500pF	28.1	500pF
29.1	200pF	29.1	200pF
30.1	100pF	30.1	100pF
31.1	50pF	31.1	50pF
32.1	20pF	32.1	20pF
33.1	10pF	33.1	10pF
34.1	5pF	34.1	5pF
35.1	2pF	35.1	2pF
36.1	1pF	36.1	1pF
37.1	500pF	37.1	500pF
38.1	200pF	38.1	200pF
39.1	100pF	39.1	100pF
40.1	50pF	40.1	50pF
41.1	20pF	41.1	20pF
42.1	10pF	42.1	10pF
43.1	5pF	43.1	5pF
44.1	2pF	44.1	2pF
45.1	1pF	45.1	1pF
46.1	500pF	46.1	500pF
47.1	200pF	47.1	200pF
48.1	100pF	48.1	100pF
49.1	50pF	49.1	50pF
50.1	20pF	50.1	20pF
51.1	10pF	51.1	10pF
52.1	5pF	52.1	5pF
53.1	2pF	53.1	2pF
54.1	1pF	54.1	1pF
55.1	500pF	55.1	500pF
56.1	200pF	56.1	200pF
57.1	100pF	57.1	100pF
58.1	50pF	58.1	50pF
59.1	20pF	59.1	20pF
60.1	10pF	60.1	10pF
61.1	5pF	61.1	5pF
62.1	2pF	62.1	2pF
63.1	1pF	63.1	1pF
64.1	500pF	64.1	500pF
65.1	200pF	65.1	200pF
66.1	100pF	66.1	100pF
67.1	50pF	67.1	50pF
68.1	20pF	68.1	20pF
69.1	10pF	69.1	10pF
70.1	5pF	70.1	5pF
71.1	2pF	71.1	2pF
72.1	1pF	72.1	1pF
73.1	500pF	73.1	500pF
74.1	200pF	74.1	200pF
75.1	100pF	75.1	100pF
76.1	50pF	76.1	50pF
77.1	20pF	77.1	20pF
78.1	10pF	78.1	10pF
79.1	5pF	79.1	5pF
80.1	2pF	80.1	2pF
81.1	1pF	81.1	1pF
82.1	500pF	82.1	500pF
83.1	200pF	83.1	200pF
84.1	100pF	84.1	100pF
85.1	50pF	85.1	50pF
86.1	20pF	86.1	20pF
87.1	10pF	87.1	10pF
88.1	5pF	88.1	5pF
89.1	2pF	89.1	2pF
90.1	1pF	90.1	1pF
91.1	500pF	91.1	500pF
92.1	200pF	92.1	200pF
93.1	100pF	93.1	100pF
94.1	50pF	94.1	50pF
95.1	20pF	95.1	20pF
96.1	10pF	96.1	10pF
97.1	5pF	97.1	5pF
98.1	2pF	98.1	2pF
99.1	1pF	99.1	1pF
100.1	500pF	100.1	500pF

PARAMETERS  
Setval = 1

B-PS+1-AMP202		B-PS+1-AMP203	
Model	C1 & C2p	Model	C1 & C2p
1.1	500pF	1	500pF
2.1	200pF	2.1	200pF
3.1	100pF	3.1	100pF
4.1	50pF	4.1	50pF
5.1	20pF	5.1	20pF
6.1	10pF	6.1	10pF
7.1	5pF	7.1	5pF
8.1	2pF	8.1	2pF
9.1	1pF	9.1	1pF
10.1	500pF	10.1	500pF
11.1	200pF	11.1	200pF
12.1	100pF	12.1	100pF
13.1	50pF	13.1	50pF
14.1	20pF	14.1	20pF
15.1	10pF	15.1	10pF
16.1	5pF	16.1	5pF
17.1	2pF	17.1	2pF
18.1	1pF	18.1	1pF
19.1	500pF	19.1	500pF
20.1	200pF	20.1	200pF
21.1	100pF	21.1	100pF
22.1	50pF	22.1	50pF
23.1	20pF	23.1	20pF
24.1	10pF	24.1	10pF
25.1	5pF	25.1	5pF
26.1	2pF	26.1	2pF
27.1	1pF	27.1	1pF
28.1	500pF	28.1	500pF
29.1	200pF	29.1	200pF
30.1	100pF	30.1	100pF
31.1	50pF	31.1	50pF
32.1	20pF	32.1	20pF
33.1	10pF	33.1	10pF
34.1	5pF	34.1	5pF
35.1	2pF	35.1	2pF
36.1	1pF	36.1	1pF
37.1	500pF	37.1	500pF
38.1	200pF	38.1	200pF
39.1	100pF	39.1	100pF
40.1	50pF	40.1	50pF
41.1	20pF	41.1	20pF
42.1	10pF	42.1	10pF
43.1	5pF	43.1	5pF
44.1	2pF	44.1	2pF
45.1	1pF	45.1	1pF
46.1	500pF	46.1	500pF
47.1	200pF	47.1	200pF
48.1	100pF	48.1	100pF
49.1	50pF	49.1	50pF
50.1	20pF	50.1	20pF
51.1	10pF	51.1	10pF
52.1	5pF	52.1	5pF
53.1	2pF	53.1	2pF
54.1	1pF	54.1	1pF
55.1	500pF	55.1	500pF
56.1	200pF	56.1	200pF
57.1	100pF	57.1	100pF
58.1	50pF	58.1	50pF
59.1	20pF	59.1	20pF
60.1	10pF	60.1	10pF
61.1	5pF	61.1	5pF
62.1	2pF	62.1	2pF
63.1	1pF	63.1	1pF
64.1	500pF	64.1	500pF
65.1	200pF	65.1	200pF
66.1	100pF	66.1	100pF
67.1	50pF	67.1	50pF
68.1	20pF	68.1	20pF
69.1	10pF	69.1	10pF
70.1	5pF	70.1	5pF
71.1	2pF	71.1	2pF
72.1	1pF	72.1	1pF
73.1	500pF	73.1	500pF
74.1	200pF	74.1	200pF
75.1	100pF	75.1	100pF
76.1	50pF	76.1	50pF
77.1	20pF	77.1	20pF
78.1	10pF	78.1	10pF
79.1	5pF	79.1	5pF
80.1	2pF	80.1	2pF
81.1	1pF	81.1	1pF
82.1	500pF	82.1	500pF
83.1	200pF	83.1	200pF
84.1	100pF	84.1	100pF
85.1	50pF	85.1	50pF
86.1	20pF	86.1	20pF
87.1	10pF	87.1	10pF
88.1	5pF	88.1	5pF
89.1	2pF	89.1	2pF
90.1	1pF	90.1	1pF
91.1	500pF	91.1	500pF
92.1	200pF	92.1 </tr	

